



American Precision Parts Co., Ltd.

TIMKEN MSE515BRHFATL Flange Block Bearings



MSE515BRHFATL Bearing 2D drawings and 3D CAD models

Bearing No. MSE515BRHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	138.44
EAN	0013992050120
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE515BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 5-15/16" Bore; 18.3" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 4.874" Length Thru Bore; 12.9" Bolt Spacing;



American Precision Parts Co., Ltd.

Other Features	Single Row Wide Inner Ring Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	304.94
d	5.938 Inch 150.825 Millimeter
D	4.874 Inch 123.8 Millimeter
Bolt Spacing	12.9 Inch 327.7 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	18.3 Inch 466 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Shaft Size	5-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M24
Bearing - Housing - Seal	MSE515BRHATL
Bearing - Housing - Seal UPC	013992043122
Bearing UPC	013992032898
Dimension T	21.0 in
Dimension R	18.3 in
Dimension P	1.0 in
Dimension H	4.9 in



American Precision Parts Co., Ltd.

Dimension N	15.500 in
Dimension V	0.1 in
Dimension L	8.9 in
Cr - Dynamic Load Rating	164111 lbf
Cor - Static Load Rating	232453 lbf
Ca - Axial Load Rating	11780 lbf
Maximum Speed	1320 rpm
Note	This product line was formerly known as " Revolve "